



Contents

Our Showering Collection has been designed specifically to deliver quality products at competitive prices. Our modern, sleek designs adhere to the latest trends, tastes and requirements of our customers. Our exceptional product warranties on our bathroom products reflect the stringent test procedures our products must pass prior to being included within our brand. We continuously deliver quality products, as standard, to all of our customers.

All shower enclosures are manufactured in Britain, they are designed and built to last.

For true peace of mind all enclosures and wetroom panels are covered by a Lifetime Guarantee.



Enhance8+

One Door Quadrant	
Sliding Door	2
	3 - 4
Bi-Fold Door	5
	6
	7 - 8
Bath Screens	9 - 10







Enhance8

	11 - 14
Curved Quadrant One Door	15
Curved Quadrant Two Door	16
Bi-Fold Door	17
	18
Sliding Door	19
Level Access Sliding Door	20
	21
Bath Screens	22 - 24





Astro Two

One Door Curved Quadrant	25
Two Door Curved Quadrant	26
Bi-Fold Door	27
	28
Sliding Door	29
Level Access Sliding Door	30
	31
Side and In-Line Panels	32
Bath Screens	33 - 34





Shower Trays page 35

Shower Decks page 36

Consumer Guide


Enhance8+ Shower Enclosures



Code Bright Silver Finish	Code Matt Black Finish	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6101141	S6101146	One Door Quad	900 x 900	430	855 - 875
S6101142	S6101147	One Door Offset Quad	800 x 900	430	755 - 775 & 855 - 875
S6101143	S6101148	One Door Offset Quad	800 x 1000	430	755 - 775 & 955 - 975
S6101144	S6101149	One Door Offset Quad	800 x 1200	430	755 - 775 & 1155 - 1175
S6101145	S6101150	One Door Offset Quad	900 x 1200	430	855 - 875 & 1155 - 1175


FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver or Matt Black
- Vertical Adjustment: 20mm
- Chromed brass machined components
- Chromed brass feature handle
- Low profile PVC seals
- Fast fix assembly
- Reversible for left or right hand fixing



- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver or Matt Black
- Vertical Adjustment: 20mm
- Chromed brass machined components
- Chromed brass feature handle
- Low profile PVC seals Fast fix assembly
- Reversible for left or right hand fixing

Code Bright Silver Finish	Code Matt Black Finish	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6101129	S6101135	Sliding Door	1200	470	1150 - 1190
S6101130	S6101136	Sliding Door	1400	570	1350 - 1390
S6101131	S6101137	Sliding Door	1500	620	1450 - 1490
S6101132	S6101138	Sliding Door	1700	720	1650 - 1690
S6101133	S6101139	Side Panel	800	_	755 - 775
S6101134	S6101140	Side Panel	900	_	855 - 875





ALCOVE FITTING

BRIGHT SILVER FINISH

Aperture Adjustment (mm) (mm)

0/4044/4	0/4044/0	4000		050 000
S6101161	S6101162	1000	610	950 - 990
S6101161	S6101163	1200	610	1150 - 1190
			MATT BI	lack finis
Door Code	In-Line Code	Size (mm)	Aperture (mm)	Adjustmen (mm)
S6101164	S6101165	1000	610	950 - 990
S6101164	S6101166	1200	610	1150 - 1190

In-Line Code

CORNER FITTING

In-Line

Side Panel Size

BRIGHT SILVER FINISH

Code	Code	Code	(mm)	(mm)	Door & In-Line (mm)	Side Panel (mm
S6101151	S6101152	S6101154	1000 x 800	610	955 - 975	755 - 775
S6101151	S6101152	S6101155	1000 x 900	610	955 - 975	855 - 875
S6101151	S6101153	S6101154	1200 x 800	610	1150 - 1190	755 - 775
S6101151	S6101153	S6101155	1200 x 900	610	1150 - 1190	855 - 875
MATT BLAC	CK FINISH					
Door Code	In-Line Code	Side Panel Code	Size (mm)	Aperture (mm)	Adjustment Door & In-Line (mm)	Adjustment Side Panel (mm
S6101156	S6101157	S6101159	1000 x 800	610	955 - 975	755 - 775
S6101156	S6101157	S6101160	1000 x 900	610	955 - 975	855 - 875
S6101156	S6101158	S6101159	1200 x 800	610	1150 - 1190	755 - 775
S6101156	S6101158	S6101160	1200 x 900	610	1150 - 1190	855 - 875

Aperture Adjustment


Adjustment

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver or Matt Black
- Vertical Adjustment: 20mm
- Outward opening only
- Chromed brass machined components
- Chromed brass feature handle
- Low profile PVC seals
- No top rail
- Side Panels supplied with optional bracing
- Reversible for left or right hand fixing

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver or Matt Black
- Vertical Adjustment: 20mm
- Outward opening only
- Chromed brass machined components
- Chromed brass feature handle
- Low profile PVC seals
- No top rail
- Reversible for left or right hand fixing





CORNER FITTING

Code Bright Silver Finish	Code Matt Black Finish	Description	Size (mm)	Aperture (mm)	Adjustmei (mm)
S6101209	S6101214	Bi-Fold Door	760	620	715 - 735
S6101210	S6101215	Bi-Fold Door	800	660	755 - 775
S6101211	S6101216	Bi-Fold Door	900	760	855 - 875
S6101212	S6101217	Bi-Fold Door	1000	860	955 - 975
S6101170	S6101174	Side Panel	760	_	715 - 735
S6101154	S6101159	Side Panel	800	_	755 - 775
S6101155	S6101160	Side Panel	900	_	855 - 875
S6101213	S6101218	Side Panel	1000	_	955 - 975

ALCOVE FITTING

ALCOVE FITTING								
Code Bright Silver Finish	Code Matt Black Finish	Description	Size (mm)	Aperture (mm)	Adjustmen (mm)			
S6101219	S6101223	Bi-Fold Door	760	590	710 - 750			
S6101220	S6101224	Bi-Fold Door	800	630	750 - 790			
S6101221	S6101225	Bi-Fold Door	900	730	850 - 890			
S6101222	S6101226	Bi-Fold Door	1000	830	950 - 990			

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1967mm
- Frame: Bright Silver or Matt Black
- Vertical Adjustment: 20mm
- Inward opening only
- Chromed brass hinges and top caps
- Chromed brass feature handle
- Clear PVC seals
- No top rail
- Elimination of the bottom rail, creating level access entry
- Reversible for left or right hand fixing

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1967mm
- Frame: Bright Silver or Matt Black
- Vertical Adjustment: 20mm
- Outward opening only
- Full length pivoting tube
- Chromed brass machined components
- Chromed brass feature handle
- Low profile PVC seals
- No top rail
- Side Panels supplied with optional bracing
- Reversible for left or right hand fixing

CORNER FITTING

Code Bright Silver Finish	Code Matt Black Finish	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
66101167	S6101171	Pivot Door	760	630	715 - 735
6101168	S6101172	Pivot Door	800	670	755 - 775
6101169	S6101173	Pivot Door	900	770	855 - 875
66101170	S6101174	Side Panel	760	_	715 - 735
66101154	S6101159	Side Panel	800	_	755 - 775
66101155	S6101160	Side Panel	900	_	855 - 875
			_	ALCOVE	FITTING

ALCOVE FITTING

Code Bright Silver Finish	Code Matt Black Finish	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
6101175	S6101178	Pivot Door	760	600	710 - 750
66101176	S6101179	Pivot Door	800	640	750 - 790
6101177	S6101180	Pivot Door	900	740	850 - 890





BRIGHT SILVER FINISH			MATT BLACK FINISH						
Door Code	In-Line Code	Side Panel Code	Door Code	In-Line Code	Side Panel Code	Size (mm)	Aperture (mm)	Adjustment Door & In-Line (mm)	Adjustment Side Panel (mm)
S6101181	S6101182	S6101187	S6101189	S6101190	S6101195	1000 x 800	585	955 - 975	755 - 775
S6101181	S6101182	S6101188	S6101189	S6101190	S6101196	1000 x 900	585	955 - 975	855 - 875
S6101181	S6101183	S6101187	S6101189	S6101191	S6101195	1200 x 800	585	1155 - 1175	755 - 775
S6101181	S6101183	S6101188	S6101189	S6101191	S6101196	1200 x 900	585	1155 - 1175	855 - 875
S6101184	S6101185	S6101187	S6101192	S6101193	S6101195	1400 x 800	640	1355 - 1375	755 - 775
S6101184	S6101185	S6101188	S6101192	S6101193	S6101196	1400 x 900	640	1355 - 1375	855 - 875
S6101184	S6101186	S6101187	S6101192	S6101194	S6101195	1500 x 800	640	1455 - 1475	755 - 775
S6101184	S6101186	S6101188	S6101192	S6101194	S6101196	1500 x 900	640	1455 - 1475	855 - 875

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1967mm
- Vertical Adjustment: 20mm
- Inward or Outward opening
- Full length pivoting tube
- Chromed brass feature handle
- Low profile PVC seals
- No top rail
- Frame: Bright Silver or Matt Black Chromed brass machined components In-line Panels supplied with optional bracing
 - Reversible for left or right hand fixing



ALCOVE FITTING

BRIGHT S	silver finish
----------	---------------

5101197	S6101198	1000	585	950 - 990
5101197	S6101199	1200	585	1150 - 1190
5101200	S6101201	1400	640	1350 - 1390
5101200	S6101202	1500	640	1450 - 1490
			MATT B	lack finish
oor ode	In-Line Code	Size (mm)	Aperture (mm)	Adjustment (mm)
5101203	S6101204	1000	585	950 - 990
		.000	303	700 770
5101203	S6101205	1200	585	1150 - 1190
5101203 5101206				
	S6101205	1200	585	1150 - 1190

- Glass Thickness: 8mm
- Height: 1967mm
- Frame: Bright Silver or Matt Black
- Vertical Adjustment: 20mm
- Inward or Outward opening
- Full length pivoting tube
- Chromed brass machined components
- Chromed brass feature handle
- Low profile PVC seals
- No top rail
- In-line Panels supplied with optional bracing
- Reversible for left or right hand fixing



Adjustment (mm) Description 910 890 - 910 S6101229 Left Hand S6101230 910 890 - 910

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1500mm
- Frame: Matt Black
- Vertical Adjustment: 20mm
- Outward opening only
- Hinges stop at 90° to avoid contact with basins or bathroom furniture
- Bath top aluminium seal for added water integrity
- Optional brace bar included
- Left or right handing must be specified
- Power shower approved



Pivoting Bath Screen

Width (mm)

Pivoting Bath Screen 525 - 550

Closed Adjustment (mm) 885 - 910 885 - 910

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1500mm
- Frame: Matt Black
- Vertical Adjustment: 25mm
- Inward opening only
- Fixed panel pivoting screen
- Reversible for left or right hand fixing
- Power shower approved



Standard Bath Screen

S6101227 Standard Bath Screen

Width (mm) Adjustment (mm) 810 - 830

- Glass Thickness: 6mm
- Height: 1500mm
- Frame: Matt Black
- Vertical Adjustment: 25mm
- Inward and outward opening
- Unique sealing system between vertical
- and horizontal aluminium
- 180° movement
- Reversible for left or right hand fixing
- Power shower approved

Enhance8 Wetroom Solutions



Front Panel ② ×2 Corner Panels ①

Pivoting Deflector Panel ③
Brace Bars S6100492 and S6100492 at 45°



Corner Panel ①
Brace Bar S6100492



Front Panel ② x2 Corner Panels ①

Pivoting Deflector Panel ③
Brace Bars S6100492 and S6100492 at 45°

The perfect way to create a wetroom - tailored to your own style

Our Wetroom Panel options can be fitted to our low level shower trays or straight to floor to create a true wetroom. We present a number of panel sizes and options, to help you create your perfect bathroom sanctuary. Included are the various configurations that are available to suit you and your bathroom. All Panels are 2000mm high and the glass thickness is 8mm.

Due to the nature of the product water integrity cannot be guaranteed - please consult your installer

• SELECTYOUR FRAME COLOUR

Choose between a bright silver or matt black finish.

• SELECT A CONFIGURATION

Select the size of panel you require; choose your configuration; decide between a fixed or pivoting deflector panel.

• SELECTYOUR DESIRED BRACING BARS


Shower Panels & Fittings All panels are 2000mm in height with 8mm glass thickness

Code Bright Silver Finish	Code Matt Black Finish	Description	Actual Width (mm)
Alcove / Co	orner Panel		
S6100471	S6101100	600 Corner Wetroom Panel	565
S6100472	S6101101	700 Corner Wetroom Panel	665
S6100473	S6101102	760 Corner Wetroom Panel	725
S6100474	S6101103	800 Corner Wetroom Panel	765
S6100475	S6101104	900 Corner Wetroom Panel	865
S6100476	S6101105	1000 Corner Wetroom Panel	965
S6100477	S6101106	1100 Corner Wetroom Panel	1065
S6100478	S6101107	1200 Corner Wetroom Panel	1165
S6100479	S6101108	1400 Corner Wetroom Panel	1365
Pront Pane	I		
S6100480	S6101109	600 Front Wetroom Panel	567
S6100481	S6101110	700 Front Wetroom Panel	667
S6100482	S6101111	760 Front Wetroom Panel	727
S6100483	S6101112	800 Front Wetroom Panel	767
S6100484	S6101113	900 Front Wetroom Panel	867
S6100485	S6101114	1000 Front Wetroom Panel	967
S6100486	S6101115	1100 Front Wetroom Panel	1067
S6100487	S6101116	1200 Front Wetroom Panel	1167
Deflector F	Panel		
S6100488	S6101121	200 Fixed Deflector Panel	226
S6100489	S6101122	200 Pivoting Deflector Panel	243
S6100490	S6101123	300 Pivoting Deflector Panel	343
S6100491	S6101124	400 Pivoting Deflector Panel	443
4 Linear Pan	el		
S6100379	S6101117	1000 Linear Wetroom Panel	955
S6100381	S6101118	1100 Linear Wetroom Panel	1055
S6100383	S6101119	1200 Linear Wetroom Panel	1155
S6100385	S6101120	1400 Front Wetroom Panel	1355

① Alcove/Corner Panel includes wall fixing kit allowing +/- 7.5mm of vertical adjustment.

4 Linear Panel

- ② Front Panel includes corner fixing kit.
- 3 Deflector Panel includes fixed or pivoting corner fixing kit.
- 4 Linear Panel includes freestanding floor fixing kit.



① Alcove / Corner Panel

Enhance8 Wetroom Solutions








Front Panel ② | Corner Panel ① | Pivoting Deflector Panel ③ Brace Bar S6101125 and S6101126







Brace bar and pivoting deflector panel



Adjustable panel foot for fixed panel

Deflector Panel - Fixed or Pivoting

Deflector panels can be added to your wetroom panel to increase the water integrity for your wetroom. The Pivoting Panel rotates through 180° allowing you to fold it inwards for wider entry access and it can be positioned in-line to add more length to the wetroom panel, adding increased water integrity. The Fixed Panel is placed at the end of the wetroom panel and is static to help guide the water back into the showering area, to help keep the outside of your wetroom area drier. An adjustable panel foot is also supplied with the Fixed Panel.

The panel foot adjusts from 4mm to 29mm to accommodate high and low level trays, it is chromed brass with adjustable insert.

Brace Bars

A number of different styles of bracing bars are available. We offer all configurations that may be required and they can be cut and trimmed to the size required during installation to allow maximum flexibility and use of space. Bracing kits are used to provide added support for the glass and ensure that it is securely fitted in place.

Our bracing bars range from Ceiling Bracing Kits to 45° Angle Bracing Kits and from Curved Bracing Kits to Floor to Ceiling Bracing Kits. We have something to suit the enclosure style, your bathroom area and your preference, to present the highest level of stability.

BRIGHT SILVER FINISH



MATT BLACK FINISH





D	escription	Code Bright Silver Finish	Code Matt Black Finish	Size (mm) Max	Adjustment (mm) Min
1	. Low Level Bracing Kit*	S6100492	S6101125	1030	Cut to suit
2	. Side Panel Brace Kit (use with S6100492)	S6100493	S6101126	-	Cut to suit
3	. Ceiling Bracing Kit	S6100494	S6101127	560	Cut to suit
4	. Floor to Ceiling Brace Kit	S6100495	S6101128	2700 high	Cut to suit
5	. Vinyl Floor contour profile kit	S6100497	_	_	_

*For use straight back to wall or can be cut to 45° if required for corner fixing as illustrated in 1a and 1b.

N.B. Adjustments are measured from the wall to the inside of the glass.

Enhance8 Shower Enclosures








FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Chromed brass handle
- Minimal low profile seals
- Smooth running 'quick release' roller bearings
- Reversible for left or right hand fixing
- Install to tray or wetroom floor



Code

Description



S6100700 Two Door Quad 330 750 - 775 800 x 800 S6100701 Two Door Quad 900 x 900 850 - 875 S6100702 Two Door Offset Quad 800 x 900 420 750 - 775 & 850 - 875 Two Door Offset Quad 750 - 775 & 950 - 975 S6100703 800 x 1000 420 S6100704 750 - 775 & 1150 - 1175 Two Door Offset Quad 800 x 1200 420 S6100705 Two Door Offset Quad 900 x 1200 850 - 875 & 1150 - 1175

Size (mm) Aperture (mm) Adjustment (mm)

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Chromed brass handles
- Minimal low profile seals
- Smooth running 'quick release' roller bearings
- Reversible for left or right hand fixing
- Install to tray or wetroom floor

Enhance8 Shower Enclosures




Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100712	Bi-Fold Door	760	460	700 - 750
S6100713	Bi-Fold Door	800	500	740 - 790
S6100714	Bi-Fold Door	900	600	840 - 890
S6100715	Bi-Fold Door	1000	700	940 - 990
S6100716	Bi-Fold Door	1200	900	1140 - 1190
S6100720	Side Panel	700	-	640 - 690
S6100721	Side Panel	760	_	710 - 735
S6100722	Side Panel	800	-	750 - 775
S6100723	Side Panel	900	_	850 - 875
S6100724	Side Panel	1000	_	950 - 975
S6100725	In-Line Panel	200	-	+ 200mm to door sizes
S6100726	In-Line Panel	300	_	+ 300mm to door sizes



FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1950mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Inward Opening
- Chromed brass handle
- Reversible for left or right hand fixing
- Install to tray or wetroom floor





- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Outward Opening
- Chromed brass handle and hinges
- Minimal low profile seals
- Pivot Door must be hinged from the wall
- Reversible for left or right hand fixing
- Install to tray or wetroom floor

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100717	Pivot Door	760	465	700 - 750
S6100718	Pivot Door	800	505	740 - 790
S6100719	Pivot Door	900	605	840 - 890
S6100720	Side Panel	700	-	640 - 690
S6100721	Side Panel	760	_	710 - 735
S6100722	Side Panel	800	_	750 - 775
S6100723	Side Panel	900	_	850 - 875
S6100724	Side Panel	1000	-	950 - 975
S6100725	In-Line Panel	200	-	+ 200mm to door sizes
S6100726	In-Line Panel	300	_	+ 300mm to door sizes

Enhance8 Shower Enclosures



940 - 990

1040 - 1090

1140 - 1190

1340 - 1390

1640 - 1690

640 - 690

710 - 735

750 - 775

850 - 875

950 - 975

1 1			
S Door escription Size (mm) Aperture (mr	m) Adjustment (mm)	Enhance8 1: Enhance	1200 x 800mm Corner Fitting 200mm Sliding Door - S6100729 8 800mm Side Panel - S6100722

	E A
	DF-
	1.4
	() () () () () () () ()
	7
	4/22 1000
	The state of the s
	0 1 (3) W W W
	III I DE LE COMPANIE LE
	The state of the s
	State of the state
	F-31 102550 (c)
	CORP. A SERVICE SELECTION OF THE PARTY OF TH
	201111
	3.00
	-
// / 3	
100	
1400mm Alco	ove Fitting (Left Hand) Omm Level Access Sliding Door - S6100738



FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Chromed brass handle
- Minimal low profile seals
- Smooth running 'quick release' roller bearings
- Reversible for left or right hand fixing
- Install to tray or wetroom floor

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Chromed brass handle
- Optional bottom rail
- Easy release door function
- Left or Right handing must be specified
- Install to tray or wetroom floor

Can be used with Enhance8 Side Panels to create a corner fitting

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100732	Level Access Sliding Door LH	1000	360	940 - 990
S6100733	Level Access Sliding Door RH	1000	360	940 - 990
S6100734	Level Access Sliding Door LH	1100	410	1040 - 1090
S6100735	Level Access Sliding Door RH	1100	410	1040 - 1090
S6100736	Level Access Sliding Door LH	1200	460	1140 - 1190
S6100737	Level Access Sliding Door RH	1200	460	1140 - 1190
S6100738	Level Access Sliding Door LH	1400	560	1340 - 1390
S6100739	Level Access Sliding Door RH	1400	560	1340 - 1390
S6100740	Level Access Sliding Door LH	1700	710	1640 - 1690
S6100741	Level Access Sliding Door RH	1700	710	1640 - 1690
S6100720	Side Panel	700	-	640 - 690
S6100721	Side Panel	760	_	710 - 735
S6100722	Side Panel	800	_	750 - 775
S6100723	Side Panel	900	_	850 - 875
S6100724	Side Panel	1000	_	950 - 975

Code

S6100727

S6100728

S6100729

S6100730

S6100731

S6100720

S6100721

S6100722

S6100723

S6100724

Sliding Door

Sliding Door

Sliding Door

Sliding Door

Sliding Door

Side Panel

Side Panel

Side Panel

Side Panel

Side Panel

1000

1100

1200

1400

1700

700

760

800

900

1000


360

410

460

560

Enhance8 Shower Enclosures Bath Screens Enhance8



1140 - 1190

640 - 690

710 - 735

750 - 775

850 - 875

950 - 975

+ 200mm to door sizes

+ 300mm to door sizes

S6100751

S6100720

S6100721

S6100722

S6100723

S6100724

S6100725

S6100726

Inswing Door

Side Panel

Side Panel

Side Panel

Side Panel

Side Panel

In-Line Panel

In-Line Panel

1200*

700

760

800

900

1000

200

580

*PLEASE NOTE: The I 200mm Inswing Door is a Door / In-Line Panel combination - see the Alcove image above.



Description Glass Adjustment (mm) S6100415 Bath Screen 820 Clear 810 - 835

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Inward Opening
- Chromed brass handle and hinges
- Inswing Door must be hinged from the wall
- Reversible for left or right hand fixing
- Install to tray or wetroom floor

- Glass Thickness: 6mm
- Height: 1500mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Inward and outward opening
- Unique sealing system between vertical and horizontal aluminium
- 180° movement
- Reversible for left or right hand fixing
- Power shower approved

Outward Folding

Outward Folding RH

S6100661

Closed Adjustment (mm) Description S6100660 Outward Folding LH 910 885 - 910







te8 Pivoting Bath Screen - S6100743

Frameless Bath Screen

Adjustment (mm) Size (mm) Glass S6100742 Frameless Bath Screen 835 810 - 835

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1500mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Outward opening only
- Horizontal PVC seal and deflector strip
- Reversible for left or right hand fixing
- Power shower approved

Hinged Bath Screens

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: I 500mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm • Fixed panel and pivoting screen
- Bath top aluminium seal for added water integrity
- Power shower approved

Outward Folding

- Outward opening; hinges stop at 90° to avoid contact with basins / furniture
- Optional brace bar included

Inward Folding


Horizontal PVC seal and vertical magnetic seals



Pivoting Bath Screen

Adjustment (mm) 885 - 910

885 - 910 S6100743 Inward Opening 525 - 550



FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1500mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Inward opening only
- Fixed panel pivoting screen
- Reversible for left or right hand fixing
- Power shower approved

Inward Folding

S6100745 Inward Folding LH S6100746

Inward Folding RH



Code Size (mm) Aperture (mm) Adjustment (mm) S6100631 900 x 900 450 865 - 890 S6100632 900 x 800 450 865 - 890 & 765 - 790 S6100633 1000 x 800 450 965 - 990 & 765 - 790 1165 - 1190 & 765 - 790 1200 x 800 450 S6100634 S6100635 450 1165 - 1190 & 865 - 890 1200 x 900



FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1900mm
- Frame: Bright Silver
- Tray Compatibility: 550mm radius
- Chromed brass handle on inside and outside
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release' bearings in the bottom rail
- Full length colourless PVC seals
- Reversible for left or right hand fixing
- Easy installation







- Glass Thickness: 6mm
- Height: 1900mm
- Frame: Bright Silver
- Tray Compatibility: 550mm radius
- Chromed brass handles on inside and outside
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release' bearings in the bottom rail
- Full length colourless PVC and magnetic seals
- Reversible for left or right hand fixing
- Easy installation

Code	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100625	800 x 800	380	765 - 790
S6100626	900 x 900	510	865 - 890
S6100627	900 x 800	450	865 - 890 & 765 - 790
S6100628	1000 x 800	450	965 - 990 & 765 - 790
S6100629	1200 x 800	450	1165 - 1190 & 765 - 79
S6100630	1200 × 900	520	1165 - 1190 & 865 - 89







Adjustment (mm) Code Aperture (mm) Alcove Fitting With Side Panel S6100604 760 460 700 - 750 726 - 776 500 740 - 790 766 - 816 S6100605 800 840 - 890 866 - 916 S6100606 900 600

FEATURES AND BENEFITS:

- Glass Thickness: 4mm Door, 6mm Panels
- Height: 1900mm
- Frame: Bright Silver
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- Reversible for left or right hand fixing
- Easy installation


- Glass Thickness: 6mm
- Height: 1900mm
- Frame: Bright Silver
- Watertight magnetic seals
- Chromed brass bolt through handle
- Chromed plastic top caps
- Smooth operation hinges with chromed plastic cover caps
- Reversible for left or right hand fixing



Code	Size (mm)	Aperture (mm)	Alcove Fitting	With Side Panel
Code	0120 (11111)	7 (percure (mm)	Acoveritting	vvitti side i aliei
S6100607	1000	390	940 - 990	966 - 1016
S6100608	1100	440	1040 - 1090	1066 - 1116
S6100609	1200	490	1140 - 1190	1166 - 1216
S6100610	1300	540	1240 - 1290	1266 - 1316
S6100611	1400	590	1340 - 1390	1366 - 1416
S6100612	1500	640	1440 - 1490	1466 - 1516
S6100613	1600	690	1540 - 1590	1566 - 1616
\$4100414	1700	740	16/10 1690	1666 1716

FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1900mm
- Frame: Bright Silver
- Prame: Bright SilverPVC / magnetic seals
- Chromed brass bolt through handle
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release' bearings in the bottom rail
- Reversible for left or right hand fixing



- Glass Thickness: 6mm
- Height: 1900mm
- Frame: Bright Silver
- Trame, bright silver
- Easy release door function
- Chromed brass bolt through handle
- Chromed plastic top caps
- Smooth running bearing assemblies in top rails
- Optional aluminium water guard strip (supplied)
- Right of left handing must be specified


				Adjustme	nt (mm)
Code	Handing	Size (mm)	Aperture (mm)	Alcove Fitting	With Side Panel
S6100665	Left Hand	1000	390	940 - 990	976 - 1017
S6100666	Right Hand	1000	390	940 - 990	976 - 1017
S6100667	Left Hand	1100	440	1040 - 1090	1076 - 1117
S6100668	Right Hand	1100	440	1040 - 1090	1076 - 1117
S6100669	Left Hand	1200	490	1140 - 1190	1176 - 1217
S6100670	Right Hand	1200	490	1140 - 1190	1176 - 1217
S6100671	Left Hand	1400	590	1340 - 1390	1376 - 1417
S6100672	Right Hand	1400	590	1340 - 1390	1376 - 1417
S6100673	Left Hand	1700	740	1640 - 1690	1676 - 1717
S6100674	Right Hand	1700	740	1640 - 1690	1676 - 1717



	/	1	-) (/
S6100615	700 x 700	330	665 - 690
S6100616	760 x 760	375	725 - 750
S6100617	760 x 900	425	725 - 750 & 865 - 890
S6100620	760 x 1000	460	725 - 750 & 965 - 990
S6100618	800 × 800	400	765 - 790
S6100619	900 x 900	470	865 - 890
S6100621	1000 x 1000	545	965 - 990
S6100622	700 x 900	400	665 - 690 & 865 - 890
S6100623	800 x 900	435	765 - 790 & 865 - 890
S6100624	800 x 1200	545	765 - 790 & 1165 - 1190

FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1900mm
- Frame: Bright Silver
- PVC / magnetic seals
- Chromed brass bolt through handles
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release' bearings in the bottom rail
- Reversible for left or right hand fixing



Code Adjustment (mm) Description Size (mm) S6100636 700 665 - 690 725 - 750 S6100637 S6100638 Side Panel 800 765 - 790 865 - 890 S6100639 900 S6100640 In-Line Panel + 200mm to door sizes S6100641 300 + 300mm to door sizes In-Line Panel S6100642 Extension Profile -40mm extra

FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Frame: Bright Silver
- Chromed plastic top caps
- Reversible for left or right hand fixing

Height: 1900mm

Inward Folding Bath Screen

Description Width (mm) Adjustment (mm) S6100245 Inward Folding 885 - 910



FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1500mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Optional bracing bar included
- Reversible for left or right hand fixing
- Power shower approved






Folding Bath Screen

Adjustment (mm) S6100470 Folding Bath Screen 895 - 920

FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1500mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Full length magnetic PVC seals
- Optional brace bar included
- Reversible for left or right hand fixing
- Power shower approved



A. Width: 920mm when fully open

B. Width: 520mm when in closed position I **C. Width:** 450mm when in closed position 2 **D. Width:** 430mm when in closed position 3





Angled Bath Screen

Width (mm) Adjustment (mm)

S6100294

850 - 875

FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1500mm
- Frame: Bright Silver
- Frameless with radius glass
- Bright silver aluminium towel rail
- Suitable for all standard bath mixer and electric showers
- Not recommended for use with pumped or pressurised systems
- Reversible for left or right hand fixing

Curved Bath Screen

Code

Width (mm) Adjustment (mm)

S6100282 820 810 - 825

FEATURES AND BENEFITS:

- Glass Thickness: 5mm
- Height: 1360mm
- Frame: Bright Silver
- Frameless with radius glass
- Rotates through 180° for access
- Suitable for all standard bath mixer and electric showers
- Not recommended for use with pumped or pressurised systems
- Reversible for left or right hand fixing

Standard Bath Screen

Code Width (mm)

Adjustment (mm) S6100283 820 810 - 825

- Glass Thickness: 5mm
- Height: 1360mm
- Frame: Bright Silver
- Frameless with square glass
- Rotates through 180° for access
- Suitable for all standard bath mixer and electric showers
- Not recommended for use with pumped or pressurised systems
- Reversible for left or right hand fixing

Flat Top



Low Profile

Anti-Slip Low Profile



ANTI-SLIP

S2220587 S2220587 S2220587

S2220587 S2220587 S2220587

S2220590

S2220590

S2220590

S2220591

S2220592

S2220593

S2220594

S2220595

LEG - PANEL KIT (Anti slip tray only)

STYLE	FLAT TOP	LOW PROFILE	PANEL KIT & LEG SET	LOW PROFILE ANTI-SLIP
Size (mm)	Height 80mm	Height 45mm	(Flat Top & Low Profile)	Height 40mm
SQUARE				
760 x 760	S2220100	S2220116	S2220126	S2220551
800 × 800	S2220101	S2220117	S2220126	S2220552
900 x 900	S2220102	S2220118	S2220126	S2220553
RECTANGLE				
1000 x 800	S2220103	S2220119	S2220126	S2220559
1200 x 760	S2220104	S2220120	S2220126	S2220563
1200 x 800	S2220105	S2220121	S2220126	S2220564
QUADRANT (55R)				
800	S2220106	S2220122	S2220124	S2220580
900	S2220107	S2220123	S2220124	S2220581
OFFSET QUADRANT				
1200 x 800 L/H	S2220131	S2220145	S2220125	S2220583
1200 x 800 R/H	S2220132	S2220146	S2220125	S2220584
1200 x 900 L/H	S2220133	S2220147	S2220125	S2220585
1200 x 900 R/H	S2220134	S2220148	S2220125	S2220586
1000 x 800 L/H	S2220135	S2220149	S2220125	S2220582
1000 x 800 R/H	S2220136	S2220150	S2220125	S2220589
800 x 900 L/H	S2220153	S2220157	S2220124	_
800 x 900 R/H	S2220154	S2220158	S2220124	-

S2220130

S2220129


Flat Top Cross Section

S2220130


S2220128

Flexi Upstand


Waste Trap



Low Profile Cross Section



Anti-Slip Low Profile



S2220130

S2220129

Shower Decks


The UK's strongest shower decks with industry leading, independent test results

Our shower decks have been manufactured to a high quality and independently tested and have been proven to be the strongest shower decks in the UK market. Our decks help to achieve level access showering for a seamless transition into the shower area.

Choose a suitable shower deck based on the environment and whether the floor covering will be tiled or vinyl installation for a totally water tight solution. Suitable for both concrete and timber floor installations.

N&C Premier Shower Deck

N&C Premier Infinity Shower Deck



Our N&C Premier Infinity Deck is a revolutionary

wet room floor former with a unique slider drain

system for creating an easy to install, visually


appealing level access wet floor. Designed with the

installer and end user in mind.



The strongest SMC deck with a unique ribbed

N&C Aqua Floor Shower Deck



The N&C Premier Shower Deck is ideal for creating a level access wet floor area with ease. With a self supporting structure, Premier Shower Deck can be



underside, perfect for vinyl installations. The N&C Agua-Floor shower deck is a high strength

wet room shower deck that has been compression moulded using a high glass content SMC formulation.



Consumer Guide

IMPORTANT PRODUCT DETAILS

- Enclosures and Screens carry a manufacturer's guarantee if products are installed according to the installation instructions see guarantee criteria below.
- Any guarantee variations are indicated separately.
- All guarantee forms supplied with installation instructions must be completed and returned within 60 days to validate the lifetime guarantee otherwise only a statutory 12 month guarantee
- All Shower Screens and Enclosures are manufactured using toughened safety glass which complies to BSEN12150.
- It is important to note, that the glass must not be mounted or 'pinched' in such a way that would cause a stress point to develop in the glass. In addition, it must not be subjected to any sharp impact or severe temperature fluctuation which may also cause a stress point to develop in the glass.
- Toughened glass is physically and thermally significantly stronger than standard glass. However a significant impact (or stress as outlined above) can cause Toughened glass to break. In the event of breakage, toughened glass will break safely into small fragments in line with all relevant Standards.
- All aluminium profiles are extruded in accordance with BS6063 and BS1474.
- All heights quoted for Enclosures and Screens are from the top of the Shower Tray.
- · All fixings are hidden on products.
- · All fixings and pivot pins are manufactured from stainless steel this adds great strength and durability to products.
- All seals and gaskets on products are manufactured from colourless PVC.
- The design rights of these products are owned and all rights reserved.
- · All Shower Screens and Enclosures are tested in accordance with BSEN14428 Shower Enclosures, functional requirements and test methods.

Truelife Lifetime Guarantee

 $\hbox{All Shower Enclosures and Bath Screens are guaranteed against faulty materials or manufacture for}\\$ LIFE, provided they have been installed, used and maintained in accordance with our instructions.

All product guarantees must be completed and returned within 60 days of purchase to validate the relevant guarantee. Failure to meet this deadline will result in a statutory 1 year guarantee on all products.

Should a claim arise, Customer Relations will investigate the issue. As part of this investigation we request that the following conditions be satisfied:

- . Proof of purchase at the time of the claim.
- 2. The guarantee applies to the original purchaser only and is non transferable.
- 3. The product has been fitted / installed in accordance with our fixing instructions, local bylaws and general good plumbing practice
- 4. The product has been maintained and cared for in accordance with our instructions (including regular and appropriate cleaning).

If in our opinion the product has been modified, misused, neglected, wilfully or accidentally damaged, we can accept no responsibility for failure.

Our representatives must be given the opportunity to inspect the product in the installed condition. Call outs may be chargeable depending upon circumstances.

Should any products included in the Lifetime guarantee be used for Commercial use i.e. leisure clubs, schools, hospitals, student accommodation, hotels or residential homes, only a 5 year guarantee will be applicable

If in our opinion the product fails due to faulty materials or manufacture and that the conditions above have been met we will arrange for a specialist Technical Sales Representative to repair or replace that item at our option.


We believe in continuous improvement. If in our opinion the product has failed under the terms of the Guarantee and a replacement is offered but identical goods are no longer available, we will endeavour to replace it with our nearest equivalent product. For countries outside of the UK and Republic of Ireland, where a product has failed due to faulty materials or manufacture, a replacement product or product part will be offered only.

Should we carry out work as a result of a claim but subsequently it is revealed that the product has been abused or improperly installed, we reserve the right to charge the customer for the expense incurred. The liability is limited to the product supplied by us and does not extend to consequential loss or damage arising from the defective product

This Guarantee, which is effective for products purchased after February 1st 2006, states our entire liability and is offered to customers acquiring our products as consumers, not in the course of trade or business. Ex displays or products reinstalled from their original position are not covered under

Non glass or metallic parts (e.g. seals) are subject to normal wear and tear through usage and are therefore covered on all products for I year from installation

This Guarantee does not affect your statutory rights. This Guarantee is wholly applicable in the U.K. and Republic of Ireland – export conditions as indicated.



Distribution Centres, Trade Counters & Showrooms

N&C Building Materials 41-51 Freshwater Road Chadwell Heath

Romford, Essex RM8 1SP Tel: 020 8586 4600 Fax: 020 0586 4646

Cothill Close Plympton

Plymouth PL7 1SR Tel: 01752 339724 Fax: 01752 342746

Units 3 & 4 Cardiff Trade Park Hadfield Road Cardiff CF11 8AQ

Tel: 029 2039 0146 Fax: 029 2022 4356 Unit 4

Waterloo Industrial Estate Flanders Road, Hedge End Southampton SO30 2QT

Tel: 01489 779700 Fax: 01489 779701

Nicholls & Clarke

- Est 1875 -

Trade Counters & Showrooms

Units 1A/B Alexander Place Lower Park Road

New Southgate London N111QD

Tel: 020 8361 6050 Fax: 020 8361 4757

Unit 14 Meridian Trading Estate Bugsby Way

Charlton London SE7 7SJ Tel: 020 8269 5960 Fax: 020 8269 5961

Units 10, 11, 14 & 15 Advent Business Park

Edmonton N18 3AF Tel: 020 8807 3227

Advent Way Fax: 020 8807 3223 Unit 8 Ascent Park Edinburgh Way Harlow Essex CM20 2HW Tel: 01279 621980

Fax: 01279 621981 Unit1 Cliffside Trade Park

Motherwell Way Lakeside West Thurrock Essex RM20 3XD Tel: 01708 680180

2 - 3 Altbarn Close Wyncolls Road Severalls Park

Fax: 01708 680181

Colchester Essex CO4 9HY Tel: 01206 849300 Fax: 01206 845878

Unit 9 - 11 McDonald Business Park Maylands Avenue **Hemel Hempstead**

Hertfordshire HP2 7EB Tel: 01442 234635 Fax: 01442 279501

Unit 8D Pompey Centre Fratton Way Southsea Portsmouth PO4 8TA Tel: 02392 894599 Fax: 02392 894598

Unit 5 Tower Court St. David's Road Swansea Enterprise Park Swansea SA6 8AL Tel: 01792 797337 Fax: 01792 774019

25 Gunnels Wood Park Gunnels Wood Road

Stevenage Hertfordshire SG1 2BH Tel: 01438 315400 Fax: 01438 740338

Unit E5 Copley Hill Trading Estate Whitehall Road Leeds LS12 1HE Tel: 0113 243 5644

Leofric House, Off Phoenix Way Waterman Road Coventry CV6 5TP

Tel: 02476 705300 Fax: 02476 705301

1 Frensham Road Sweetbriar Industrial Estate Norwich Norfolk NR3 2BT Tel: 01603 409169





